

# Stūmokliniai kompresoriai

## Oro kompresoriai su horizontaliu oro rinktuvu



Modelis	Oro rinktuvos L	Cilindrų skaičius	Įsiurbiamo oro kiekis L/min	Slėgis bar	Variklis kW	Įtampa V	Svoris Kg	Dydis AxBxC
SB4/S-50.LH20-1.5	50	1/1	235	10	1.5	220	69	840x400x770
SB4/S-50.LH20-2.2	50	1/1	280	10	2.2	220/380	69	840x400x770
SB4/S-100.LH20-2.2	100	1/1	280	10	2.2	220/380	84	1150x490x850
SB4/S-50.LB30	50	2/1	420	10	2.2	220/380	73	850x400x770
SB4/S-100.LB30	100	2/1	420	10	2.2	220/380	88	1150x490x850
SB4/S-50.LB40	50	3/1	530	10	3.0	380	90	900x400x800
SB4/S-50.LB30-3.0	50	2/1	500	9	3.0	380	77	850x400x770
SB4/S-100.LB40	100	3/1	530	10	3.0	380	100	1130x500x880
SB4/S-100.LB30-3.0	100	2/1	500	9	3.0	380	92	1150x490x850
SB4/S-200.LB40	200	3/1	530	10	3.0	380	140	1460x640x1150
SB4/S-100.LB50	100	2/1	630	10	4.0	380	130	1150x500x1000
SB4/F-270.LB50	270	2/1	630	10	4.0	380	180	1590x500x1100
SB4/S-100.LB75	100	3/1	880	10	5.5	380	143	1150x505x1150
SB4/F-270.LB75	270	3/1	880	10	5.5	380	195	1650x510x1150

Modelis	Oro rinktuvas L	Cilindrų skaičius	Išsiurbiamo oro kiekis L/min	Slėgis bar	Variklis kW	Įtampa V	Svoris Kg	Dydis AxBxC
SB4/F-500.LB75	500	3/1	880	10	5.5	380	230	2000x610x1250
SB4/F-500.LT100	500	4/2	1400	10	7.5	380	360	2000x610x1250
SB4/F-500.LT100-11.0	500	4/2	1700	10	11	380	370	2000x615x1250
SB4/F-500.LT100/16-7.5	500	4/2	1000	16	7.5	380	370	2000x610x1250
SB4/F-500.LB75T6/T	500	3/1	1760	10	5.5+5.5	380	340	2000x610x1250
SB4/F-500.W95T6/T	500	4/2	1400	16	11	380	385	2000x610x2053

## Oro kompresoriai su vertikaliu oro rinktuvu



Modelis	Oro rinktuvas L	Cilindrų skaičius	Išsiurbiamo oro kiekis L/min	Slėgis bar	Variklis kW	Įtampa V	Svoris Kg	Dydis AxBxC
SB4/S-100.LB30B	100	2/1	420	10	2.2	220/380	90	630x540x1240
SB4/S-100.LB40B	100	2/1	530	10	3.0	380	110	630x560x1300
SB4/F-270.LB50B	270	2/1	630	10	4.0	380	180	650x700x1750
SB4/F-270.LB75B	270	2/1	880	10	5.5	380	195	650x700x1800
SB4/F-270.LT100B	270	4/2	1400	10	7.5	380	290	1055x620x1900

## Oro kompresoriai su sausintuvu



Modelis	Oro rinktuvai L	Cilindrų skaičius	Įsiurbiamo oro kiekis L/min	Slėgis bar	Variklis kW	Įtampa V	Svoris Kg	Dydis AxBxC
SB4/F-500.LB50D	500	2/1	630	10	4.0	380	330	2210x620x1210
SB4/F-500.LB75D	500	3/1	880	10	5.5	380	300	2210x650x1390
SB4/F-500.LT100D	500	4/2	1400	10	7.5	380	410	2210x650x1390

T\* - su valdymo pultu. TB - be valdymo pulto